INDEX TO AUTHORS

A

ALBUQUERQUE, E. X. See MASUKAWA and ALBUQUERQUE, 351
ALIFIMOFF, J. K. See SARKADI, ALIFIMOFF, GUNN, and TOSTESON, 249

B

BARLOW, R. B., JR. See BAYER and BARLOW, 539
BARR, C. E. See RYAN, BARR, and ZORN, 203
BASSINGTHWAIGHTE, E. A. See SAFFORD, BASSINGTHWAIGHTE, and BASSINGTHWAIGHTE, 513
BASSINGTHWAIGHTE, J. B. See SAFFORD, BASSINGTHWAIGHTE, and BASSINGTHWAIGHTE, 513
BAUER, C. See GROS, ROLLEMA, JELKMANN, GROS, BAUER, and MOLL, 765
BAYER, D. S., and BARLOW, R. B., JR., *Limulus* ventral eye. Physiological properties of photoreceptor cells in an organ culture medium, 539
BERNARD, R. A. See WEST and BERNARD, 305
BEZANILLA, F. See VERGARA, BEZANILLA, and SALZBERG, 775
BITTNER, G. D. See CHARLTON and BITTNER, 471
—. See CHARLTON and BITTNER, 487
BLAUSTEIN, M. P., RATZLAFF, R. W., KENDRICK, N. C., and SCHWEITZER, E. S. Calcium buffering in presynaptic nerve terminals. I. Evidence for involvement of a nonmitochondrial ATP-dependent sequestration mechanism, 15
—, RATZLAFF, R. W., and SCHWEITZER, E. S. Calcium buffering in presynaptic nerve terminals. II. Kinetic properties of the nonmitochondrial calcium sequestration mechanism, 43
BREUER, W. See KNAUF, BREUER, MCCULLOCH, and ROTHSTEIN, 631
—. See KNAUF, SHIP, BREUER, MCCULLOCH, and ROTHSTEIN, 607
BRINK, P. R., and DEWEY, M. M. Nexal membrane permeability to anions, 67
BRINLEY, F. J., JR., TIFFERT, T., and SCARPA, A. Mitochondria and other calcium buffers of squid axon studied *in situ*, 101
BRODIE, S. E., KNIGHT, B. W., and RATLIFF, F. The response of the *Limulus* retima to moving stimuli: a prediction by Fourier synthesis, 129
—, —, and —. The spatiotemporal transfer function of the *Limulus* lateral eye, 167

C

CALLAHAN, T. J., and GOLDSTEIN, D. A. Anion inhibitor-sensitive unidirectional sodium movements in the human erythrocyte, 87
CHAPMAN, J. B., and JOHNSON, E. A. The reversal potential for an electrogenic sodium pump. A method for determining the free energy of ATP breakdown? 403
CHARLTON, M. P., and BITTNER, G. D. Facilitation of transmitter release at squid synapses, 471
—, and —. Presynaptic potentials and facilitation of transmitter release in the squid giant synapse, 487
COHEN, D. M., and MURPHY, R. A. Differences in cellular contractile protein contents among porcine smooth muscles. Evidence for variation in the contractile system, 369

D

DAVIS, J. M. See PANDEY, SARKADI, HAAS, GUNN, DAVIS, and TOSTESON, 233
DAWSON, D. C. See THOMPSON and DAWSON, 269
DEWEY, M. M. See BRINK and DEWEY, 67
DUNHAM, P. B. See HOBBS and DUNHAM, 381

DYBALL, R. E. J. See NORDMANN and DYBALL, 297

E

ENGBRETSON, G. A., and WITKOVSKY, P. Rod sensitivity and visual pigment concentration in *Xenopus*, 801
—. See WITKOVSKY, ENGBRETSON, and RIPPS, 821
EPSTEIN, W. See RHOADS and EPSTEIN, 283

F

FABIATO, A., and FABIATO, F. Myofilament-generated tension oscillations during partial calcium activation and activation dependence of the sarcomere length-tension relation of skinned cardiac cells, 667
FABIATO, F. See FABIATO and FABIATO, 667
FINKELSTEIN, A. See ROSENBERG and FINKELSTEIN, 327
—. See ROSENBERG and FINKELSTEIN, 341

G

GOLDMAN, L., and HAHIN, R. Initial conditions and the kinetics of the sodium conductance in *Myxicola* giant axons. II. Relaxation experiments, 879
—. See HAHIN and GOLDMAN, 863
GOLDSTEIN, D. A. See CALLAHAN and GOLDSTEIN, 87
GROS, G., ROLLEMA, H. S., JELKMANN, W., GROS, H., BAUER, C., and MOLL, W. Net charge and oxygen affinity of human hemoglobin are independent of hemoglobin concentration, 765
GROS, H. See GROS, ROLLEMA, JELKMANN, GROS, BAUER, and MOLL, 765
GULATI, J., and PODOLSKY, R. J. Contraction transients of skinned muscle fibers: effects of calcium and ionic strength, 701
GUNN, R. B. See PANDEY, SARKADI, HAAS, GUNN, DAVIS, and TOSTESON, 233
—. See SARKADI, ALIFIMOFF, GUNN, and TOSTESON, 249

H

HAAS, M. See PANDEY, SARKADI, HAAS, GUNN, DAVIS, and TOSTESON, 233
HAHIN, R., and GOLDMAN, L. Initial conditions and the kinetics of the sodium conductance in *Myxicola* giant axons. I. Effects on the time-course of the sodium conductance, 863
—. See GOLDMAN and HAHIN, 879
HILLE, B., and SCHWARZ, W. Potassium channels as multi-ion single-file pores, 409
HOBBS, A. S., and DUNHAM, P. B. Interaction of external alkali metal ions with the sodium-potassium pump of human erythrocytes. A comparison of their effects on activation of the pump and on the rate of ouabain binding, 381

I

IWAZUMI, T. See TER KEURS, IWAZUMI, and POLLACK, 565

J

JELKMANN, W. See GROS, ROLLEMA, JELKMANN, GROS, BAUER, and MOLL, 765
JOHNSON, E. A. See CHAPMAN and JOHNSON, 403

K

KATZ, G. M., SORENSON, M. M., and REUBEN, J. P. Filament interaction monitored by light scattering in skinned fibers, 651
KENDRICK, N. C. See BLAUSTEIN, RATZLAFF, KENDRICK, and SCHWEITZER, 15
KNAUF, P. A., BREUER, W., MCCULLOCH, L., and ROTHSTEIN, A. *N*-(4-Azido-2-nitrophenyl)-2-aminoethylsulfonate (NAP-taurine) as a photoaffinity probe for identifying membrane components containing the modifier site of the human red blood cell anion exchange system, 631
—, SHIP, S., BREUER, W., MCCULLOCH, L., and ROTHSTEIN, A. Asymmetry of the red cell anion exchange system. Different mechanisms of reversible inhibition by *N*-(4-azido-2-nitrophenyl)-2-aminoethyl-sulfonate (NAP-taurine) at the inside and outside of the membrane, 607
KNIGHT, B. W. See BRODIE, KNIGHT, and RATLIFF, 129
—. See BRODIE, KNIGHT, and RATLIFF, 167

L

LANTZ, R. C., and MAURO, A. Alteration of sensitivity and time scale in invertebrate photoreceptors exposed to anoxia, dinitrophenol, and carbon dioxide, 219

LESTER, H. A. Analysis of sodium and potassium redistribution during sustained permeability increases at the innervated face of *Electrophorus* electroplaques, 847

M

MASUKAWA, L. M., and ALBUQUERQUE, E. X. Voltage- and time-dependent action of histrionicotoxin on the endplate current of the frog muscle, 351

MAURO, A. See LANTZ and MAURO, 219

MCCLELLAN, G. B., and WINEGRAD, S. The regulation of the calcium sensitivity of the contractile system in mammalian cardiac muscle, 737

MCCULLOCH, L. See KNAUF, BREUER, MCCULLOCH, and ROTHSTEIN, 631

—. See KNAUF, SHIP, BREUER, MCCULLOCH, and ROTHSTEIN, 607

MOLL, W. See GROS, ROLLEMA, JELKMANN, GROS, BAUER, and MOLL, 765

MURPHY, R. A. See COHEN and MURPHY, 369

N

NASSAR-GENTINA, V., PASSONNEAU, J. V., VERGARA, J. L., and RAPOPORT, S. I. Metabolic correlates of fatigue and recovery from fatigue in single frog muscle fibers, 593

NONOMURA, Y. See SAIDA and NONOMURA, 1

NORDMANN, J. J., and DYBALL, R. E. J. Effects of veratridine on calcium fluxes and the release of oxytocin and vasopressin from the isolated rat neurohypophysis, 297

O

OSTROY, S. E. Characteristics of *Drosophila* rhodopsin in wild-type and *norpA* vision transduction mutants, 717

P

PANDEY, G. N., SARKADI, B., HAAS, M., GUNN, R. B., DAVIS, J. M., and TOSTESON, D. C. Lithium transport pathways in human red blood cells, 233

PASSONNEAU, J. V. See NASSAR-GENTINA, PASSONNEAU, VERGARA, and RAPOPORT, 593

PODOLSKY, R. J. See GULATI and PODOLSKY, 701

POLLACK, G. H. See TER KEURS, IWAZUMI, and POLLACK, 565

R

RAPOPORT, S. I. See NASSAR-GENTINA, PASSONNEAU, VERGARA, and RAPOPORT, 593

RATLIFF, F. See BRODIE, KNIGHT, and RATLIFF, 129

—. See BRODIE, KNIGHT, and RATLIFF, 167

RATZLAFF, R. W. See BLAUSTEIN, RATZLAFF, KENDRICK, and SCHWEITZER, 15

—. See BLAUSTEIN, RATZLAFF, and SCHWEITZER, 43

REQUENA, J. Calcium efflux from squid axons under constant sodium electrochemical gradient, 443

REUBEN, J. P. See KATZ, SORENSON, and REUBEN, 651

RHOADS, D. B., and EPSTEIN, W. Cation transport in *Escherichia coli*. IX. Regulation of potassium transport, 283

RIPPS, H. See WITKOVSKY, ENGBRETSON, and RIPPS, 821

ROLLEMA, H. S. See GROS, ROLLEMA, JELKMANN, GROS, BAUER, and MOLL, 765

ROSENBERG, P. A., and FINKELSTEIN, A. Interaction of ions and water in gramicidin A channels. Streaming potentials across lipid bilayer membranes, 327

—, and —. Water permeability of gramicidin A-treated lipid bilayer membranes, 341

—. See KNAUF, SHIP, BREUER, MCCULLOCH, and ROTHSTEIN, 607

ROTHSTEIN, A. See KNAUF, BREUER, MCCULLOCH, and ROTHSTEIN, 631

RYAN, T. E., BARR, C. E., and ZORN, J. P. Potassium transference in *Nitella*, 203

S

SAFFORD, R. E., BASSINGTHWAIGHTE, E. A., and BASSINGTHWAIGHTE, J. B. Diffusion of water in cat ventricular myocardium, 513

SAIDA, K., and NONOMURA, Y. Characteristics of Ca^{2+}- and Mg^{2+}-induced tension development in chemically skinned smooth muscle fibers, 1
SALZBERG, B. M. See VERGARA, BEZANILLA, and SALZBERG, 775
SARKADI, B., ALIFIMOFF, J. K., GUNN, R. B., and TOSTESON, D. C. Kinetics and stoichiometry of sodium-dependent lithium transport in human red blood cells, 249
—. See PANDEY, SARKADI, HAAS, GUNN, DAVIS, and TOSTESON, 233
SCARPA, A. See BRINLEY, TIFFERT, and SCARPA, 101
SCHWARZ, W. See HILLE and SCHWARZ, 409
SCHWEITZER, E. S. See BLAUSTEIN, RATZLAFF, KENDRICK, and SCHWEITZER, 15
—. See BLAUSTEIN, RATZLAFF, and SCHWEITZER, 43
SHIP, S. See KNAUF, SHIP, BREUER, MCCULLOCH, and ROTHSTEIN, 607
SORENSON, M. M. See KATZ, SORENSON, and REUBEN, 651

T

TER KEURS, H. E. D. J., IWAZUMI, T., and POLLACK, G. H. The sarcomere length-tension relation in skeletal muscle, 565
THOMPSON, S. M., and DAWSON, D. C. Cation selectivity of the apical membrane of the turtle colon. Sodium entry in the presence of lithium, 269
TIFFERT, T. See BRINLEY, TIFFERT, and SCARPA, 101
TOSTESON, D. C. See PANDEY, SARKADI, HAAS, GUNN, DAVIS, and TOSTESON, 233
—. See SARKADI, ALIFIMOFF, GUNN, and TOSTESON, 249

V

VERGARA, J., BEZANILLA, F., and SALZBERG, B. M. Nile Blue fluorescence signals from cut single muscle fibers under voltage or current clamp conditions, 775
—. See NASSAR-GENTINA, PASSONNEAU, VERGARA, and RAPOPORT, 593

W

WEST, C. H. K., and BERNARD, R. A. Intracellular characteristics and responses of taste bud and lingual cells of the mudpuppy, 305
WINEGRAD, S. See MCCLELLAN and WINEGRAD, 737
WITKOVSKY, P., ENGBRETSON, G. A., and RIPPS, H. Formation, conversion, and utilization of isorhodopsin, rhodopsin, and porphyropsin by rod photoreceptors in the *Xenopus* retina, 821
—. See ENGBRETSON and WITKOVSKY, 801

Z

ZAMIR, M, Nonsymmetrical bifurcations in arterial branching, 837
ZORN, J. P. See RYAN, BARR, and ZORN, 203

INDEX TO SUBJECTS

A

Adenosine triphosphate breakdown, reversal potential for electrogenic pump as method for determining free energy, 403

Adenosine triphosphate-dependent sequestration mechanism, evidence for involvement in calcium buffering in presynaptic nerve terminals, 15

Alkali metal ions, external, interaction with sodium-potassium pump of human erythrocytes, comparison of effects on activation of pump and rate of ouabain binding, 381

2-Aminoethylsulfonate, *N*-(4-azido-2-nitrophenyl), [NAP-taurine] as photoaffinity probe for identifying membrane components containing modifier site of human red blood cell anion exchange system, 631

Anion exchange system, human red blood cell, NAP-taurine as photoaffinity probe for identifying membrane components containing modifier site, 631

– exchange system, red cell, asymmetry, different mechanisms of reversible inhibition by NAP-taurine at inside and outside of membrane, 607

Anoxia, dinitrophenol, and carbon dioxide, alteration of sensitivity and time scale of invertebrate photoreceptors exposed to, 219

Apical membrane of turtle colon, cation selectivity, sodium entry in presence of lithium, 269

Arterial branching, nonsymmetrical bifurcations in, 837

Axon, squid, mitochondria and other calcium buffers studied *in situ*, 101

Axons, giant, of *Myxicola*, sodium conductance in, initial conditions and kinetics, effects on time-course, 863

–, giant, of *Myxicola*, sodium conductance in, initial conditions and kinetics, relaxation experiments, 879

Axons, squid, under constant sodium electrochemical gradient, calcium efflux, 443

N-(4-Azido-2-nitrophenyl)-2-aminoethylsulfonate [NAP-taurine] as photoaffinity probe for identifying membrane components containing modifier site of human red blood cell anion exchange system, 631

–, reversible inhibition at inside and outside of red cell membrane by different mechanisms, asymmetry of red cell anion exchange system, 607

B

Bifurcations, nonsymmetrical, in arterial branching, 837

Bilayer membranes, lipid, gramicidin A-treated, water permeability, 341

– membranes, lipid, streaming potentials across, interaction of ions and water in gramicidin A channels, 327

Blood cells, red. *See* Erythrocytes.

C

Calcium activation, partial, myofilament-generated tension oscillations during, and activation dependence of sarcomere length-tension relation of skinned cardiac cells, 667

– buffering in presynaptic nerve terminals, evidence for involvement of nonmitochondrial ATP-dependent sequestration mechanism, 15

– buffering in presynaptic nerve terminals, kinetic properties of nonmitochondrial calcium sequestration mechanism, 43

– buffers and mitochondria of squid axon, *in situ* studies, 101

– efflux from squid axons under constant sodium electrochemical gradient, 443

– fluxes and release of oxytocin and vasopressin from isolated rat neurohypophysis, effects of veratridine on, 297

Calcium ion- and Mg^{2+}-induced tension development, characteristics in chemically skinned smooth muscle fibers, 1
– and ionic strength, effects on contraction transients of skinned muscle fibers, 701
– sensitivity regulation of contractile system in cardiac muscle of mammals, 737
– sequestration mechanism, nonmitochondrial, kinetic properties in calcium buffering in presynaptic nerve terminals, 43
Carbon dioxide, anoxia, and dinitrophenol, alteration of sensitivity and time scale of invertebrate photoreceptors exposed to, 219
Cardiac cells, skinned, myofilament-generated tension oscillations during partial calcium activation and activation dependence of sarcomere length-tension relation, 667
– muscle, mammalian, regulation of calcium sensitivity of contractile system in, 737
Cells, cardiac, skinned, myofilament-generated tension oscillations during partial calcium activation and activation dependence of sarcomere length-tension relation, 667
–, photoreceptor, of *Limulus* ventral eye in organ culture medium, physiological properties, 539
–, taste bud and lingual, of mudpuppy, intracellular characteristics and responses, 305
–, red blood. *See* Erythrocytes.
Cellular contractile protein, differences in contents among porcine smooth muscles, evidence for variation in contractile system, 369
–, intra-, characteristics and responses of taste bud and lingual cells of mudpuppy, 305
Channels, gramicidin A, interaction of ions and water in, streaming potentials across lipid bilayer membranes, 327
–, potassium, as multi-ion single-file pores, 409
Colon, turtle, cation selectivity of apical membrane, sodium entry in presence of lithium, 269
Conductance, sodium, in *Myxicola* giant axons, initial conditions and kinetics, effects on time-course, 863
–, sodium, in *Myxicola* giant axons, initial conditions and kinetics, relaxation experiments, 879
Contractile protein, cellular, differences in contents among porcine smooth muscles, evidence for variation in contractile system, 369
– system in cardiac muscle of mammals, regulation of calcium sensitivity, 737
– system, differences in cellular contractile protein contents among porcine smooth muscles, evidence for variation, 369
Contraction transients of skinned muscle fibers, effects of calcium and ionic strength, 701
Corrections, 733

D

2,4-Dinitrophenol, anoxia, and carbon dioxide, alteration of senstivity and time scale of invertebrate photoreceptors exposed to, 219
Drosophila rhodopsin, characteristics in wild-type and *norpA* vision transduction mutants, 717

E

Electrophorus electroplaques, innervated face, analysis of sodium and potassium redistribution during sustained permeability increases at, 847
Electroplaques, *Electrophorus*, innervated face, analysis of sodium and potassium redistribution during sustained permeability increases at, 847
Endplate current of frog muscle, voltage- and time-dependent action of histrionicotoxin on, 351
Erythrocyte anion exchange system, asymmetry, different mechanisms of reversible inhibition by NAP-taurine at inside and outside of membrane, 607
–, human, anion exchange system, NAP-taurine as photoaffinity probe for identifying membrane components containing modifier site, 631
–, human, anion inhibitor-sensitive unidirectional sodium movements in, 87
Erythrocytes, human, interaction of external alkali metal ions with sodium-potassium pump, comparison of effects of ions on activation of pump and rate of ouabain binding, 381
–, human, kinetics and stoichiometry of

sodium-dependent lithium transport in, 249
Erythrocytes, human, lithium transport pathways in, 233
Escherichia coli, cation transport in, regulation of potassium transport, 283
External alkali metal ions, interaction with sodium-potassium pump of human erythrocytes, comparison of effects on activation of pump and rate of ouabain binding, 381
Eye, lateral, of *Limulus*, spatiotemporal transfer function, 167
–, ventral, of *Limulus*, photoreceptor cells in organ culture medium, physiological properties, 539

F

Facilitation of transmitter release and presynaptic potentials in squid giant synapse, 487
– of transmitter release at squid synapses, 471
Fatigue and recovery from fatigue in single frog muscle fibers, metabolic correlates, 593
Fibers, muscle, single, cut, under voltage or current clamp conditions, Nile Blue fluorescence signals from, 775
–, muscle, single, of frog, fatigue and recovery from fatigue in, metabolic correlates, 593
–, muscle, skinned, contraction transients, effects of calcium and ionic strength, 701
–, psoas, skinned, filament interaction monitored by light scattering in, 651
–, smooth muscle, chemically skinned, characteristics of Ca^{2+}- and Mg^{2+}-induced tension development in, 1
Filament interaction monitored by light scattering in skinned fibers, 651
Fluorescence signals, Nile Blue, from cut single muscle fibers under voltage or current clamp conditions, 775
Fourier synthesis prediction of response of *Limulus* retina to moving stimuli, 129
Frog muscle, endplate current, voltage- and time-dependent action of histrionicotoxin on, 351
– muscle fibers, single, fatigue and recovery from fatigue in, metabolic correlates, 593

G

Gramicidin A channels, interaction of ions and water in, streaming potentials across lipid bilayer membranes, 327
Gramicidin A-treated lipid bilayer membranes, water permeability, 341

H

Hemoglobin, human, net charge and oxygen affinity, independence of concentration, 765
Histrionicotoxin, voltage- and time-dependent action on the endplate current of frog muscle, 351

I

Inhibition, reversible, by NAP-taurine at inside and outside of red cell membrane, different mechanisms, asymmetry of red cell anion exchange system, 607
Inhibitor, anion, unidirectional sodium movements in human erythrocyte sensitive to, 87
Intracellular characteristics and responses of taste bud and lingual cells of mudpuppy, 305
Isorhodopsin, rhodopsin, and porphyropsin, formation, conversion, and utilization by rod photoreceptors in *Xenopus* retina, 821

L

Light scattering in skinned fibers, filament interaction monitored by, 651
Limulus lateral eye, spatiotemporal transfer function, 167
– retina, response to moving stimuli, prediction by Fourier synthesis, 129
– ventral eye, photoreceptor cells in organ culture medium, physiological properties, 539
Lingual and taste bud cells of mudpuppy, intracellular characteristics and responses, 305
Lipid bilayer membranes, gramicidin A-treated, water permeability, 341
– bilayer membranes, streaming potentials across, interaction of ions and water in gramicidin A channels, 327
Lithium presence in cation selectivity of apical membrane of turtle colon, so-

dium entry, 269
Lithium transport pathways in human red blood cells, 233
– transport, sodium-dependent, in human red blood cells, kinetics and stoichiometry, 249

M

Magnesium ion- and Ca^{2+}-induced tension development, characteristics in chemically skinned smooth muscle fibers, 1
Man, erythrocyte, anion inhibitor-sensitive unidirectional sodium movements in, 87
–, erythrocytes, interaction of external alkali metal ions with sodium-potassium pump, comparison of effects of ions on activation of pump and rate of ouabain binding, 381
–, hemoglobin, net charge and oxygen affinity, independence of concentration of hemoglobin, 765
–, red blood cell anion exchange system, NAP-taurine as photoaffinity probe for identifying membrane components containing the modifier site, 631
–, red blood cells, kinetics and stoichiometry of sodium-dependent lithium transport in, 249
–, red blood cells, lithium transport pathways in, 233
Membrane, apical, of turtle colon, cation selectivity, sodium entry in presence of lithium, 269
– components containing modifier site of human red blood cell anion exchange system, NAP-taurine as photoaffinity probe for identification, 631
–, nexal, permeability to anions, 67
–, red cell, inside and outside, different mechanisms of reversible inhibition by NAP-taurine at, asymmetry of red cell anion exchange system, 607
Membranes, lipid bilayer, gramicidin A-treated, water permeability, 341
–, lipid bilayer, streaming potentials across, interaction of ions and water in gramicidin A channels, 327
Metabolism in single frog muscle fibers, fatigue and recovery from fatigue related to, 593
Metal ions, alkali, external, interaction with sodium-potassium pump of human erythrocytes, comparison of effects on activation of pump and rate of ouabain binding, 381
Mitochondria and other calcium buffers of squid axon, *in situ* studies, 101
Mitochondrial, non-, ATP-dependent sequestration mechanism, evidence for involvement in calcium buffering in presynaptic nerve terminals, 15
–, non-, calcium sequestration mechanism, kinetic properties in calcium buffering in presynaptic nerve terminals, 43
Mudpuppy, taste bud and lingual cells, intracellular characteristics and responses, 305
Muscle, cardiac, mammalian, regulation of calcium sensitivity of contractile system in, 737
– fibers, single, cut, under voltage or current clamp conditions, Nile Blue fluorescence signals from, 775
– fibers, single, of frog, fatigue and recovery from fatigue in, metabolic correlates, 593
– fibers, skinned, contraction transients, effects of calcium and ionic strength, 701
– fibers, smooth, chemically skinned, characteristics of Ca^{2+}- and Mg^{2+}-induced tension development in, 1
–, of frog, voltage- and time-dependent action of histrionicotoxin on endplate current, 351
–, skeletal, sarcomere length-tension relation in, 565
Muscles, smooth, porcine, differences in cellular contractile protein contents among, evidence for variation in contractile system, 369
Mutants, vision transduction, wild-type and *norpA*, characteristics of *Drosophila* rhodopsin in, 717
Myocardium, ventricular, of cat, diffusion of water in, 513
Myofilament-generated tension oscillations during partial calcium activation and activation dependence of sarcomere length-tension relation of skinned cardiac cells, 667
Myxicola giant axons, sodium conductance in, initial conditions and kinetics, effects on time-course, 863
– giant axons, sodium conductance in, initial conditions and kinetics, relaxation experiments, 879

N

NAP-taurine. *See* *N*-(4-azido-2-nitrophenyl)-2-aminoethylsulfonate.
Nerve terminals, presynaptic, calcium buffering in, evidence for involvement of nonmitochondrial ATP-dependent sequestration mechanism, 15
– terminals, presynaptic, calcium buffering in, kinetic properties of nonmitochondrial calcium sequestration mechanism, 43
Neurohypophysis, isolated, of rat, effects of veratridine on calcium fluxes and release of oxytocin and vasopressin from, 297
Nile Blue fluorescence signals from cut single muscle fibers under voltage or current clamp conditions, 775
Nitella, potassium transference in, 203
norpA and wild-type vision transduction mutants, characteristics of *Drosophila* rhodopsin in, 717

O

Organ culture medium, photoreceptor cells of *Limulus* ventral eye in, physiological properties, 539
Ouabain-binding rate in human erythrocytes, effects of external alkali metal ions on, comparison with effects of ions on activation of sodium-potassium pump, 381
Oxygen affinity and net charge of human hemoglobin, independence of hemoglobin concentration, 765
Oxytocin and vasopressin release and calcium fluxes from isolated rat neurohypophysis, effects of veratridine on, 297

P

Permeability increases, sustained, at the innervated face of *Electrophorus* electroplaques, analysis of sodium and potassium redistribution during, 847
–, nexal membrane, to anions, 67
–, water, of gramicidin A-treated lipid bilayer membranes, 341
Phenol, 2,4-dinitro-, anoxia, and carbon dioxide, alteration of sensitivity and time scale of invertebrate photoreceptors exposed to, 219
Phosphate, adenosine tri-, breakdown, reversal potential for electrogenic pump as method for determining free energy, 403
Phosphate adenosine tri-, nonmitochondrial sequestration mechanism dependent on, evidence for involvement in calcium buffering in presynaptic nerve terminals. 15
Photoaffinity probe for identifying membrane components containing modifier site of human red blood cell anion exchange system, NAP-taurine as, 631
Photoreceptor cells of *Limulus* ventral eye in organ culture medium, physiological properties, 539
Photoreceptors of invertebrates, exposed to anoxia, dinitrophenol, and carbon dioxide, alteration of sensitivity and time scale in, 219
–, rod, in *Xenopus* retina, formation, conversion, and utilization of isorhodopsin, rhodopsin, and porphyropsin by, 821
Pigment, visual, concentration and rod sensitivity in *Xenopus*, 801
Pores, multi-ion single-file, potassium channels as, 409
Porphyropsin, isorhodopsin, and rhodopsin, formation, conversion, and utilization by rod photoreceptors in *Xenopus* retina, 821
Potassium channels as multi-ion single-file pores, 409
– and sodium redistribution, analysis during sustained permeability increases at the innervated face of *Electrophorus* electroplaques, 847
– transference in *Nitella*, 203
– transport regulation in *Escherichia coli*, 283
Potassium-sodium pump of human erythrocytes, interaction of external alkali metal ions with, comparison of effects of ions on activation of pump and rate of ouabain binding, 381
Protein, contractile, cellular, differences in contents among porcine smooth muscles, evidence for variation in contractile system, 369
Pump, sodium, electrogenic, reversal potential for, method for determination of free energy of ATP breakdown, 403
–, sodium-potassium, of human erythrocytes, interaction of external alkali metal ions with, comparison of effects of ions on activation of pump and rate

of ouabain binding, 381
Red blood cells. *See* Erythrocytes.
Retina, *Limulus*, response to moving stimuli, prediction by Fourier synthesis, 129
–, *Xenopus*, formation, conversion, and utilization of isorhodopsin, rhodopsin, and porphyropsin by rod photoreceptors in, 821
Reversal potential for electrogenic sodium pump, method for determination of free energy of ATP breakdown, 403
Rhodopsin of *Drosophila*, characteristics in wild-type and *norpA* vision transduction mutants, 717
–, isorhodopsin, and porphyropsin, formation, conversion, and utilization by rod photoreceptors in *Xenopus* retina, 821
Rod photoreceptors in *Xenopus* retina, formation, conversion, and utilization of isorhodopsin, rhodopsin, and porphyropsin by, 821
– sensitivity and visual pigment concentration in *Xenopus*, 801

S

Sarcomere length-tension relation in skeletal muscle, 565
– length-tension relation of skinned cardiac cells, activation dependence and myofilament-generated tension oscillations during partial calcium activation, 667
Scattering of light in skinned fibers, filament interaction monitored by, 651
Selectivity, cation, of apical membrane of turtle colon, sodium entry in presence of lithium, 269
Sequestration mechanism, calcium, nonmitochondrial, kinetic properties in calcium buffering in presynaptic nerve terminals, 43
– mechanism, nonmitochondrial ATP-dependent, evidence for involvement in calcium buffering in presynaptic nerve terminals, 15
Skeletal muscle, sarcomere length-tension relation in, 565
Smooth muscle fibers, chemically skinned, characteristics of Ca^{2+}- and Mg^{2+}-induced tension development in, 1
– muscles, porcine, differences in cellular contractile protein contents among, evidence for variation in contractile system, 369
Sodium conductance in *Myxicola* giant axons, initial conditions and kinetics, effects on time-course, 863
– conductance in *Myxicola* giant axons, initial conditions and kinetics, relaxation experiments, 879
– electrochemical gradient, constant, calcium efflux from squid axons under, 443
– entry in presence of lithium in cation selectivity of apical membrane of turtle colon, 269
– movements, unidirectional, sensitivity to anion inhibitor in human erythrocyte, 87
– and potassium redistribution, analysis during sustained permeability increases at the innervated face of *Electrophorus* electroplaques, 847
– pump, electrogenic, reversal potential for, method for determination of free energy of ATP breakdown, 403
Sodium-dependent lithium transport in human red blood cells, kinetics and stoichiometry, 249
Sodium-potassium pump of human erythrocytes, interaction of external alkali metal ions with, comparison of effects of ions on activation of pump and rate of ouabain binding, 381
Spatiotemporal transfer function of *Limulus* lateral eye, 167
Streaming potentials across lipid bilayer membranes, interaction of ions and water in gramicidin A channels, 327
Squid axons under constant sodium electrochemical gradient, calcium efflux, 443
– giant synapse, presynaptic potentials and facilitation of transmitter release in, 487
– synapses, facilitation of transmitter release at, 471
Synapse, giant, of squid, presynaptic potentials and facilitation of transmitter release in, 487
Synapses of squid, facilitation of transmitter release at, 471
Synaptic, pre-, nerve terminals, calcium buffering in, evidence for involvement of nonmitochondrial ATP-dependent sequestration mechanism, 15
–, pre-, nerve terminals, calcium buffering in, kinetic properties of nonmitochondrial calcium sequestration mechanism, 43

Synaptic, pre-, potentials and facilitation of transmitter release in squid giant synapse, 487

T

Taste bud and lingual cells of mudpuppy, intracellular characteristics and responses, 305
Taurine, NAP-. *See* *N*-(4-Azido-2-nitrophenyl)-2-aminoethylsulfonate.
Tension development, Ca^{2+}- and Mg^{2+}-induced, characteristics in chemically skinned smooth muscle fibers, 1
– oscillations, myofilament-generated, during partial calcium activation and activation dependence of sarcomere length-tension relation of skinned cardiac cells, 667
Transduction mutants, vision, wild-type and *norpA*, characteristics of *Drosophila* rhodopsin in, 717
Transfer function, spatiotemporal, of *Limulus* lateral eye, 167
Transmitter release at squid synapses, facilitation, 471
– release facilitation and presynaptic potentials in squid giant synapse, 487
Triphosphate, adenosine, breakdown, reversal potential for electrogenic pump as method for determining free energy, 403
–, adenosine, nonmitochondrial sequestration mechanism dependent on, evidence for involvement in calcium buffering in presynaptic nerve terminals, 15
Turtle colon, cation selectivity of apical membrane, sodium entry in presence of lithium, 269

V

Vasopressin and oxytocin release and calcium fluxes from isolated rat neurohypophysis, effects of veratridine on, 297
Ventricular myocardium, of cat, diffusion of water in, 513
Veratridine, effects on calcium fluxes and release of oxytocin and vasopressin from isolated rat neurohypophysis, 297
Visual pigment concentration and rod sensitivity in *Xenopus*, 801

W

Water diffusion in cat ventricular myocardium, 513
– and ions, interaction in gramicidin A channels, streaming potentials across lipid bilayer membranes, 327
– permeability of gramicidin A-treated lipid bilayer membranes, 341

X

Xenopus, rod sensitivity and visual pigment concentration in, 801
– retina, formation, conversion, and utilization of isorhodopsin, rhodopsin, and porphyropsin by rod photoreceptors in, 821

Statement of Ownership, Management, and Circulation required by Act of 12 August 1970; Section 3685, Title 39, United States Code: The Journal of General Physiology, published monthly at 1230 York Avenue, New York 10021 by The Rockefeller University Press, New York 10021. Editor: Paul F. Cranefield, The Rockefeller University, New York 10021. Owned by The Rockefeller University, New York 10021, nonprofit corporation, authorized to mail at special rates. Purpose, function, and nonprofit status of organization and the exempt status for Federal income tax purposes have not changed during the preceding 12 months. Following statistics represent 12-month average and number nearest to date of filing: copies printed for each issue, 2580; sales through dealers, street vendors, counter sales, 0; mail subscriptions, 2245. Total paid circulation, 2245; free distribution, 54; office use, left-over, unaccounted, spoiled, 281; net press run, 2580. Single issue nearest filing date, October 1978.

THE JOURNAL OF GENERAL PHYSIOLOGY

FOUNDED BY JACQUES LOEB

Honorary Editors

L. R. BLINKS JOHN H. NORTHROP

Editor

PAUL F. CRANEFIELD

Editorial Board

VINCENT ALLFREY
CLAY M. ARMSTRONG
FRANCIS D. CARLSON
C. M. CONNELLY
ROBERT S. EISENBERG
ARTHUR L. FINN
WILLIAM A. HAGINS
S. HAGIWARA
BERTIL HILLE
PHILIP A. KNAUF
L. J. MULLINS
JOHN C. PARKER
CARL PFAFFMANN
FLOYD RATLIFF
STANLEY G. SCHULTZ
ROBERT SHAPLEY
A. K. SOLOMON
CHARLES F. STEVENS
ROGER C. THOMAS
RICHARD W. TSIEN
ANNEMARIE WEBER
JENS OTTO WIETH
VICTOR J. WILSON

VOLUME 72 · THE JOURNAL OF GENERAL PHYSIOLOGY IS
THE OFFICIAL ORGAN OF THE SOCIETY OF GENERAL PHYSIOLOGISTS
AND IS EDITED IN COOPERATION WITH THE SOCIETY
TIMOTHY WEBSTER *Copyediting and Production*
THE ROCKEFELLER UNIVERSITY PRESS · NEW YORK 1978

COPYRIGHT © 1978 BY THE ROCKEFELLER UNIVERSITY PRESS

CONTENTS

VOLUME 72 · NUMBER 1 · JULY 1978

1 KOOICHI SAIDA and YOSHIAKI NONOMURA. Characteristics of Ca^{2+}- and Mg^{2+}-induced tension development in chemically skinned smooth muscle fibers

15 MORDECAI P. BLAUSTEIN, RONALD W. RATZLAFF, NANCY C. KENDRICK, and ERIK S. SCHWEITZER. Calcium buffering in presynaptic nerve terminals. I. Evidence for involvement of a nonmitochondrial ATP-dependent sequestration mechanism

43 MORDECAI P. BLAUSTEIN, RONALD W. RATZLAFF, and ERIK S. SCHWEITZER. Calcium buffering in presynaptic nerve terminals. II. Kinetic properties of the nonmitochondrial Ca sequestration mechanism

67 PETER R. BRINK and MAYNARD M. DEWEY. Nexal membrane permeability to anions

87 T. J. CALLAHAN and D. A. GOLDSTEIN. Anion inhibitor-sensitive unidirectional sodium movements in the human erythrocyte

101 F. J. BRINLEY, JR., T. TIFFERT, and A. SCARPA. Mitochondria and other calcium buffers of squid axon studied *in situ*

VOLUME 72 · NUMBER 2 · AUGUST 1978

129 SCOTT E. BRODIE, BRUCE W. KNIGHT, and FLOYD RATLIFF. The response of the *Limulus* retina to moving stimuli: a prediction by Fourier synthesis

167 SCOTT E. BRODIE, BRUCE W. KNIGHT, and FLOYD RATLIFF. The spatiotemporal transfer function of the *Limulus* lateral eye

203 THOMAS E. RYAN, CHARLES E. BARR, and JAMES P. ZORN. Potassium transference in *Nitella*

219 R. CLARK LANTZ and ALEXANDER MAURO. Alteration of sensitivity and time scale in invertebrate photoreceptors exposed to anoxia, dinitrophenol, and carbon dioxide

233 G. N. PANDEY, B. SARKADI, M. HAAS, R. B. GUNN, J. M. DAVIS, and D. C. TOSTESON. Lithium transport pathways in human red blood cells

249 B. SARKADI, J. K. ALIFIMOFF, R. B. GUNN, and D. C. TOSTESON. Kinetics and stoichiometry of Na-dependent Li transport in human red blood cells

VOLUME 72 · NUMBER 3 · SEPTEMBER 1978

269 STEPHEN M. THOMPSON and DAVID C. DAWSON. Cation selectivity of the apical membrane of the turtle colon. Sodium entry in the presence of lithium

283 DAVID B. RHOADS and WOLFGANG EPSTEIN. Cation transport in *Escherichia coli*. IX. Regulation of K transport

297 J. J. NORDMANN and R. E. J. DYBALL. Effects of veratridine on Ca fluxes and the release of oxytocin and vasopressin from the isolated rat neurohypophysis

305 CHARLES H. K. WEST and RUDY A. BERNARD. Intracellular characteristics and responses of taste bud and lingual cells of the mudpuppy

327 PAUL A. ROSENBERG and ALAN FINKELSTEIN. Interaction of ions and water in gramicidin A channels. Streaming potentials across lipid bilayer membranes

341 PAUL A. ROSENBERG and ALAN FINKELSTEIN. Water permeability of gramicidin A-treated lipid bilayer membranes

351 LEONA M. MASUKAWA and EDSON X. ALBUQUERQUE. Voltage- and time-dependent action of histrionicotoxin on the endplate current of the frog muscle

369 D. M. COHEN and R. A. MURPHY. Differences in cellular contractile protein contents among porcine smooth muscles. Evidence for variation in the contractile system

381 ANN S. HOBBS and PHILIP B. DUNHAM. Interaction of external alkali metal ions with the Na-K pump of human erythrocytes. A comparison of their effects on activation of the pump and on the rate of ouabain binding

403 LETTER TO THE EDITOR

J. BRIAN CHAPMAN and EDWARD A. JOHNSON. The reversal potential for an electrogenic sodium pump. A method for determining the free energy of ATP breakdown?

VOLUME 72 · NUMBER 4 · OCTOBER 1978

409 BERTIL HILLE and WOLFGANG SCHWARZ. Potassium channels as multi-ion single-file pores

443 JAIME REQUENA. Calcium efflux from squid axons under constant sodium electrochemical gradient

471 MILTON P. CHARLTON and GEORGE D. BITTNER. Facilitation of transmitter release at squid synapses

487 MILTON P. CHARLTON and GEORGE D. BITTNER. Presynaptic potentials and facilitation of transmitter release in the squid giant synapse

513 ROBERT E. SAFFORD, E. ANNE BASSINGTHWAIGHTE, and JAMES B. BASSINGTHWAIGHTE. Diffusion of water in cat ventricular myocardium

539 D. SCOTT BAYER and ROBERT B. BARLOW, JR. *Limulus* ventral eye. Physiological properties of photoreceptor cells in an organ culture medium

565 H. E. D. J. TER KEURS, T. IWAZUMI, and G. H. POLLACK. The sarcomere length-tension relation in skeletal muscle

VOLUME 72 · NUMBER 5 · NOVEMBER 1978

593 V. NASSAR-GENTINA, J. V. PASSONNEAU, J. L. VERGARA, and S. I. RAPOPORT. Metabolic correlates of fatigue and recovery from fatigue in single frog muscle fibers

607 P. A. KNAUF, S. SHIP, W. BREUER, L. MCCULLOCH, and A. ROTHSTEIN. Asymmetry of the red cell anion exchange system. Different mechanisms of reversible inhibition of *N*-(4-azido-2-nitrophenyl)-2-aminoethylsulfonate (NAP-taurine) at the inside and outside of the membrane

631 P. A. KNAUF, W. BREUER, L. MCCULLOCH, and A. ROTHSTEIN. *N*-(4-azido-2-nitrophenyl)-2-aminoethylsufonate (NAP-taurine) as a photoaffinity probe for identifying membrane components containing the modifier site of the human red blood cell anion exchange system

651 GEORGE M. KATZ, MARTHA M. SORENSON, and JOHN P. REUBEN. Filament interaction monitored by light scattering in skinned fibers

667 ALEXANDRE FABIATO and FRANÇOISE FABIATO. Myofilament-generated tension oscillations during partial calcium activation and activation dependence of the sarcomere length-tension relation of skinned cardiac cells

701 JAGDISH GULATI and RICHARD J. PODOLSKY. Contaction transients and skinned muscle fibers: effects of calcium and ionic strength

717 SANFORD E. OSTROY. Characteristics of *Drosophila* rhodopsin in wild-type and *norpA* vision transduction mutants

733 CORRECTIONS

VOLUME 72 · NUMBER 6 · DECEMBER 1978

737 GEORGE B. MCCLELLAN and SAUL WINEGRAD. The regulation of the calcium sensitivity of the contractile system in mammalian cardiac muscle

765 GEROLF GROS, HARRY S. ROLLEMA, WOLFGANG JELKMANN, HANNE GROS, CHRISTIAN BAUER, and WALDEMAR MOLL. Net charge

and oxygen affinity of human hemoglobin are independent of hemoglobin concentration

775 JULIO VERGARA, FRANCISCO BEZANILLA, and BRIAN M. SALZBERG. Nile Blue fluorescence signals from cut signal muscle fibers under voltage or current clamp conditions

801 GUSTAV A. ENGBRETSON and PAUL WITKOVSKY. Rod sensitivity and visual pigment concentration in *Xenopus*

821 PAUL WITKOVSKY, GUSTAV A. ENGBRETSON, and HARRIS RIPPS. Formation, conversion, and utilization of isorhodopsin, rhodopsin, and porphyropsin by rod photoreceptors in the *Xenopus* retina

837 M. ZAMIR. Nonsymmetrical bifurcations in arterial branching

847 HENRY A. LESTER. Analysis of sodium and potassium redistribution during sustained permeability increases at the innervated face of *Electrophorus* electroplaques

863 R. HAHIN and L. GOLDMAN. Initial conditions and the kinetics of the sodium conductance in *Myxicola* giant axons. I. Effects on the time-course of the sodium conductance

879 L. GOLDMAN and R. HAHIN. Initial conditions and the kinetics of the sodium conductance in *Myxicola* giant axons. II. Relaxation experiments

1a–9a ABSTRACTS OF PAPERS PRESENTED AT THE THIRTY-SECOND ANNUAL MEETING OF THE SOCIETY OF GENERAL PHYSIOLOGISTS

899 INDEXES TO VOLUME 72

911 CORRECTION